

Protimeter Moisture Meters

Protimeter Mini

The Protimeter Mini is primarily for timber moisture measurements. The mini will give indicative results on other porous non-electrically conductive materials, eg brick and plaster.

In addition to the fixed contact probes, the Protimeter Moisture Meters are supplied with separate probes on a 1m long extension lead to reach more inaccessible locations.

Coloured LEDs indicate readings on a scale of 6 to 90% wood moisture equivalent.

Supplied with:

- Pouch
- Extended lead probes
- Calibration checker
- Batteries (2 x AA)



BLD2000 £129.00

Protimeter Mini BLD2000

PRICE MATCH?
Phone for BEST price!

Protimeter Timbermaster

Professional moisture meter for the timber specialist.

Selectable scales to suit over 100 commercially used timber species.

For highest accuracy the Timbermaster plus includes a probe for temperature compensation.

Supplied with:

- Pouch
- Moisture probe
- Batteries (2 x AA)



Timbermaster Basic £169.00
Timbermaster Plus £259.00

Protimeter Timbermaster

Protimeter Aquant

The Protimeter Aquant does not use contact probes - instead the Aquant uses radio frequency sensing to detect moisture below the surface of impervious materials such as vinyl floor coverings and ceramic tiling. The Aquant can also be used to assess the relative moisture levels in materials such as brick, plaster and concrete screed.

Supplied with:

- Pouch
- Batteries

Display	LED & LCD
Batteries	2 x 1.5V AA
Search depth (nominal)	19mm
Measurement range	0.0 to 99.9% W.M.E



BLD5760 £209.00

Protimeter Aquant BLD

Protimeter Surveymaster

Dual mode moisture meter used for diagnosing dampness problems in buildings.

Search mode:

Detects presence of moisture beneath finished surface of plaster, screeds, vinyl & ceramic tiling, etc

Measure mode:

Gives a precise moisture level value in timber.

Supplied with:

- Pouch
- Extended lead probes
- Calibration checker
- Batteries

Display	LED & LCD
Batteries	2 x 1.5V AA
Search depth (nominal)	10mm
Measurement range	6.0 to 99.9% W.M.E



BLD5360 £329.00

Protimeter Surveymaster BLD5360

Protimeter Moisture Meters & Accessories

Protimeter Moisture Meters & Accessories

Protimeter Hygromaster 7700

Hand held hygromaster with data logging facility

Use to measure:
 Relative Humidity
 Dew Point
 Mixing Ratio
 Ambient Temperature

Use with the Protimeter Hydrostick probes in predrilled holes to check the moisture level of concrete floors.

Supplied with:
 Pouch
 Hygostick probe
 Probe to instrument extension lead

Measurement
 Range 30-100% rh
 Batteries 2 x 1.5V AA



BLD7700 £199.00

Protimeter Hygromaster BLD7700

Super fast response thermo-hygrometer.

Applications include:
 HVAC
 Air quality monitoring
 Building Surveys

Measures:
 Relative Humidity
 Temperature
 Dew Point
 GPP
 g/KG
 Wet Bulb
 cal/kg

- Backlit display
- Auto shut off
- Hold function
- 2 year warranty

Batteries 2 x 1.5V AA



Psyclone £199.00

Protimeter Psyclone

Protimeter MMS

Comprehensive moisture measurement tool for the professional surveyor, with four operating modes:

Moisture Probes Mode:
 Moisture probes on a plug-in lead are used to detect dampness in timber, plaster & masonry. Measurement range 6.0 to 99.9% WME.

Search Mode:
 Sub-surface detection of moisture below the surface of the substrate being tested to a depth of approx. 20mm.

Hygrometer Mode:
 Use to measure humidity. Use with floor probes in pre-drilled holes to establish moisture levels..

Condensation Mode:
 Assess condensation risk.

Batteries 2 x 1.5V AA



MMS £529.00

Protimeter MMS

Complete Package Comprises:

- Carrying case
- Heavy duty probes
- Deep wall probes
- Hygrometer probe
- Surface temperature sensor
- Batteries & detailed instructions



Moisture Meters & Accessories

Moisture Meters & Accessories



Digital Floor Hygrometer

Use to assess moisture content of concrete floors. Measures equilibrium humidity of confined air space in contact with floor.

- Supplied with reusable mastic sealant for rough floor finishes
- Records max/min temperatures

Size	165 x 165 x 50mm
Battery	2 x CR
Battery life	5000 hours
Humidity Range	20 to 99% RH

Digital Floor Hygrometer £85.00

Digital Floor Hygrometer



Tramex Concrete Moisture Tester

Investigate moisture levels in concrete floors and screeds.

Eight spring loaded contacts on base of unit are pressed on to bare concrete to take instant reading.

- Indicates moisture content of up to 6% for concrete
- Comparative indication for gypsum screeds

A calibration check plate is available to ensure that unit is reading accurately.

Size	150 x 85 x 38mm
Battery	1 x 9V

Tramex CME4 £325.00

Calibration Checker £45.00

Tramex Concrete Moisture Tester

Hygrostick

Replacement Hygrometer probes for use with Protimeter MMS and Protimeter Hygromaster.

Measurement Range 30-100% rh



Hygrostick (Qty 1) £40.00

Hygrostick Pack (Qty 5) £175.00

Hygrostick

Humidity Sleeves

16mm diameter 45mm long vented sleeves fit into predrilled holes in masonry or concrete floor.

Hygrostick is inserted into sleeve. Use to take equilibrium relative humidity measurements in building substrates.



Humidity Sleeves (20 pk) £29.00

Humidity Sleeves



Used to comply with British Standards recommendations for testing floors. The Humidity box isolates a small airpocket in contact with the floor. After sufficient time the air pocket becomes in equilibrium with the floor slab. A Hygrostick inserted into the box measures the relative humidity of the air pocket.

Humidity Box £27.00

Humidity Box



Salts Analysis Kit

Test on-site for nitrates and chlorides evaporated by rising damp on wall surfaces.

Salts Analysis Kit £68.00

Refills (10 tests) £40.00

Salts Analysis Kit